


CCT Adjustable LED Flat Panel

CCT ,Brightness Adjustable LED Panel Lights .



Applications: Offices / Classrooms / Malls / Hotel / Lobbies / Back of house / Restaurants / Bus Stations / Medical Facility



Features & Benefits:

- 0-10V dimmable and 2.4G Wireless & CCT dimmable LED Flat Panel
- CCT adjustable from 3000K-3500K-4000K-5000K
- No need any wire connections
- UL/cUL DLC 4.2 with isolated external power supply
- LED Source: SMD2835 0.5W, CRI>80, LM80 report
- PMMA LGP, imported from Taiwan
- 5 years warranty

Input Voltage: AC100V ~ 277V 50Hz ~ 60Hz

THD: ≤ 15 %

PF: >0.95 Non-flicker

Power Efficiency: >90 %

Beam Angle: 120°


Material: AL+PMMA+Diffusor

Working Temperature: -20°C ~ +45°C

Storage Temperature: -25°C ~ +65°C

IP Grade: IP40


Working Life-span: 50,000H



Technical Specification

Model	Watt	Input Voltage	Lumens	Size	CCT
PLR-36W-66-28-TG-02	36W	AC 100-277V	110 Lm/W	2 * 2 ft	3000K-5000K
PLR-40W-66-28-TG-02	40W				
PLR-45W-66-28-TG-02	45W				
PLR-40W-123-28-TG-02	40W			1 * 4 ft	
PLR-45W-123-28-TG-02	45W				
PLR-50W-126-28-TG-05	50W			2 * 4 ft	
PLR-60W-126-28-TG-05	60W				
PLR-72W-126-28-TG-05	72W				

Remote Functionality



*Consult with Smart Energy for proper solution application and use of CCT Adjustable LED Panels.